


Workbench ST 1700 Vario

ref.no.: 91A601

EAN: 4032689200293



Technical data

Dimensions (length x width)	67 7/8 x 29 5/8 Inch
Working height	27 3/16 Inch
Weight	98.1 lbs

Delivery specification

- 10 Aluminum legs
- 2 Support large
- 6 Support small
- 4 Stop

Examples for usage



Whether you're cutting longways, crossways or at an angle, the plug-in supporting system for pressure-resistant and flexible insulating materials can be configured to suit any situation. Even when working on scaffolding.



All the components are stowed inside the ST 1700 Vario to ease transportation.

Applications

- ▶ For pressure-resistant and flexible wood fibre insulation boards.
- ▶ Columns insertable in variable positions.

Advantages

- ▶ The aluminum legs are simply inserted in the holes in the base to provide an ideal work surface in every situation, no matter what the task.

Description

The compact and highly flexible workbench allows you to work with extreme accuracy, even when making very long cuts (longitudinal, crossways and diagonal cuts in flexible insulating materials). Guide unit ST-FE 200 is additionally required when cutting flexible insulating materials.

Accessories / Tools



Guide unit ST-FE 200

incl. guide track, mounting bracket and auxiliary rest

contact

MAFELL AG

Beffendorfer Straße 4
D-78727 Oberndorf / Neckar
Germany

Tel.: +49 7423 / 812-114
Fax: +49 7423 812-102
Email: export@mafell.de