

Pull-Push Saw ERIKA 60

ref.no.: 972101

EAN: 4032689219080

► boxed



Technical data

Cutting height	1/16 - 2 3/8 Inch
Cutting height at 45°	1/16 - 1 9/16 Inch
Tilt range	-2 - 47 °
Cutting length	8 7/16 Inch
Table top dimensions	16 1/4 x 21 7/16 Inch
Nominal No. of strokes – no load	5500 1/min
Nominal power input	1.7 hp
Working height without stand	11 13/16 Inch
Working height with stand	33 3/8 Inch
Universal motor	230 V / 50 Hz
Weight	48.9 lbs

Delivery specification

- 1 TCT saw blade 190 x 1.2/2.0 x 30 mm (7 1/2 in.), AT, 36 teeth, for universal use in wood; Ref. No. 092550
- 1 Universal guide fence with fence extension; Ref. No. 200941
- 1 Extraction hose with 2 connectors; Ref. No. 093639
- 1 Clamping device
- 1 Push stick; Ref. No. 034901
- 1 Allen key 5 mm; Ref. No. 093034
- 1 Mains cable 4 m (13.1 ft)

Examples for usage



Applications

- ▶ Cross and rip cuts
- ▶ Circular saw bench functionality
- ▶ Bevel cuts up to 47°
- ▶ Compatible materials include solid wood, board materials, parquet and laminate flooring, aluminum profiles and plastics

Advantages

- ▶ For hidden cuts – the riving knife can be lowered with no effort.
- ▶ With voltage loss switch for protection against uncontrolled reconnection after a power interruption.
- ▶ New type of suction channel revolutionises extraction - for less dust when working.
- ▶ Maximum cutting height of 61 mm (2 3/8 in.) – with a material thickness of 12 mm (1/2 in.), a cutting length of 215 mm (8 7/16 in.) is achieved.

Description

With optimum air flow in the suction channel, chips can be more easily removed by your dust extractor.

At 22,2 kg (48.9 lbs), the ultra-lightweight is convenient for use on any floor. Whether in the cellar or in the attic – the ERIKA 60 can be carried quickly and effortlessly from one workplace to another.

Operation of the ERIKA 60 is simple in its design concept. Clearly designed operating elements are all arranged logically on the front of the machine.

Attention ERIKA-users: All accessories of the previous models ERIKA 55 and ERIKA 60 E can continue to be used on the new ERIKA 60.

Accessories / Tools



Fold-away support



Extension table ERIKA 60
requires 2 support/mounting rails



Supporting rail
840 mm (33 1/16 in.) long



TCT saw blade
190 x 1.4/2.0 x 30 mm (7 1/2 in.), AT, 36 teeth,
for universal use



TCT saw blade
180 x 1.2/2.0 x 30 mm (7 1/16 in.), AT, 56, teeth



Sliding table



Supporting rail
650 mm (25 9/16 in.) long



Universal guide fence
with fence extension



TCT saw blade
180 x 1.4/2.0 x 30 mm (7 1/16 in.), AT, 30 teeth,
for universal use



Fence guide extension
with telescopic rod and drop stop

contact

MAFELL AG

Beffendorfer Straße 4
D-78727 Oberndorf / Neckar
Germany

Tel.: +49 7423 / 812-114
Fax: +49 7423 812-102
Email: export@mafell.de