

Machining table BAT+



ref.no.: 9K0101

EAN: 4032689219417


Technical data

| | |
|--------------------------------|-------------------------------|
| Overall dimensions (L x W x H) | 31 1/8 x 26 1/8 x 39 3/8 Inch |
| Dimensions table top | 30 11/16 x 19 5/16 Inch |
| Working height | 39 3/8 Inch |
| Tilt range | 0 - 55 ° |
| Connection voltage | |
| Connection compressed air | |
| Weight | 136.7 lbs |


Delivery specification

- 42 ball casters
- 1 connection package 4 m (13,1 ft) voltage/compressed air
- 1 angle table, pneumatically adjustable
- 1 vacuum system Vacuum plate round Ø160 mm (6 5/16 in)


Examples for usage



In order to enhance the contact of the plate on the ball casters of the BAT machining table, it is optionally possible to set the hold-down device to the exact plate height.



The BAT significantly simplifies the approaching of bevelled edges. All angle settings from 0 - 55° are freely adjustable. Commonly used angle settings can be locked.



Чтобы поддерживать опору пластины на шариковых роликах стола для обработки BAT, можно на точной высоте пластины установить дополнительное прижимное устройство.



The workpiece can be fixed with the vacuum plate to ensure safe finishing of the edge. When it is not used, it is switched off by a touch valve.

Applications

- ▶ Semi-stationary system in use with zero-joint edge bander HIT-M

Advantages

- ▶ Ball bearing casters can be inserted or offset individually. Ideal for variable positioning.
- ▶ For easy transport and mobility in the workshop.
- ▶ All angle settings from 0 - 55° are freely adjustable.

Description

When used in conjunction with the BAT machining table, the mobile zero-joint edge bander turns into a semi-stationary system. Due to the perfect workpiece support with adjustable ball casters, almost any edge banding situation is possible.

Perfectly straight, bevelled, curved and round panel materials as well as moulded parts can be processed. Inclined cut surfaces of up to 55° can be easily achieved.

The associated 360° ball casters provide variable positioning for moulded parts and closed contours. The angle table enables a pneumatic angle adjustment for applying edges to inclined cut surfaces with an inclination of up to 55° on smaller workpieces. Pneumatic unlocking and damping of the angle adjustment facilitate handling.

Accessories / Tools



Foot switch
momentary/latching



Vacuum plate D 160
for machining table BAT



Vacuum plate
for machining table BAT, 255 x 55 mm



Table extension
for machining table BAT, each 600 x 490 mm



Strip magazine holder
for machining table BAT



Hold-down device
with roller for guiding workpieces on the BAT



Vacuum plate
for machining table BAT, 200 x 55 mm



Vacuum plate
for machining table BAT, 370 x 80 mm



Plastic ball casters
for machining table BAT, 10 pieces



Strip magazine
for machining table BAT,

contact

MAFELL AG

Beffendorfer Straße 4
D-78727 Oberndorf / Neckar
Germany

Tel.: +49 7423 / 812-114
Fax: +49 7423 812-102
Email: export@mafell.de